


ME by Starck Washbasin, furniture washbasin # 233610..00 / 233610..00 / 233610..60 / 233610..60

|< 1030 mm >|



Washbasin, furniture washbasin	Dimension	Weight	Order number
with overflow, with tap platform, 1030 mm			
Colors			
00 White Alpin 32 White Satin Matt			
Variant			
●	1030 x 490 mm	26.000 kilogram	233610..00
●	1030 x 490 mm	26.000 kilogram	233610..00
☒	1030 x 490 mm	26.000 kilogram	233610..60
☒	1030 x 490 mm	26.000 kilogram	233610..60
Sanitary ceramics with the special WonderGliss surface finish will remain clean and attractive-looking for a long time to come. When ordering WonderGliss please add a "1" as eleventh digit to the model number.			
Accessory			
Space saving siphon	1 1/4" mm	0.400 kilogram	005076
Suitable products			

ME by Starck Washbasin, furniture washbasin # 233610..00 / 233610..00 / 233610..60 / 233610..60

|< 1030 mm >|

Vanity unit wall-mounted 1 pull-out compartment, for ME by Starck # 233610, 1020 x 481 mm	1020 x 481 mm	LC6142
Vanity unit wall-mounted 2 drawers, upper drawer including cut-out for siphon and siphon cover, for ME by Starck # 233610, 1020 x 481 mm	1020 x 481 mm	LC6242
Vanity unit floor-standing 2 pull-out compartments, upper pull-out compartment including cut-out for siphon and siphon cover, for ME by Starck # 233610, 1020 x 481 mm	1020 x 481 mm	LC6627
Pedestal for # 233565, 233560, 233555, 233613, 233612, 233610, 233683, 233663, 236112, 233653, 175 x 210 mm	175 x 210 mm	085839
Siphon cover for # 233565, 233560, 233555, 233613, 233612, 233610, 233683, 233663, 236112, 233653, 170 x 300 mm	170 x 300 mm	085840
Vanity unit wall-mounted 1 pull-out compartment, for ME by Starck # 233610, 1000 x 475 mm	1000 x 475 mm	KT6420
Vanity unit wall-mounted 2 drawers, upper drawer including cut-out for siphon and siphon cover, for ME by Starck # 233610, 1000 x 475 mm	1000 x 475 mm	KT6430
Vanity unit wall-mounted 1 pull-out compartment, for ME by Starck # 233610, 1020 x 479 mm	1020 x 479 mm	BR4003
Vanity unit wall-mounted 2 drawers, upper drawer including cut-out for siphon and siphon cover, for ME by Starck # 233610, 1020 x 479 mm	1020 x 479 mm	BR4103
Vanity unit floor-standing 2 pull-out compartments, upper pull-out compartment including cut-out for siphon and siphon cover, for ME by Starck # 233610, 1020 x 479 mm	1020 x 479 mm	BR4403
Vanity unit wall-mounted 1 pull-out compartment, for ME by Starck # 233610, 1010 x 478 mm	1010 x 478 mm	XS4073
Vanity unit wall-mounted 2 drawers, upper drawer including cut-out for siphon and siphon cover, for ME by Starck # 233610, 1010 x 478 mm	1010 x 478 mm	XS4173
Vanity unit floor-standing 2 pull-out compartments, upper pull-out compartment including cut-out for siphon and siphon cover, integrated base frame legs with height adjustment, for ME by Starck # 233610, 1010 x 478 mm	1010 x 478 mm	XS4447
Vanity unit wall-mounted 1 pull-out compartment, for ME by Starck # 233610, 1000 x 475 mm	1000 x 475 mm	XB6032
Vanity unit wall-mounted 2 drawers, upper drawer including cut-out for siphon and siphon cover, for ME by Starck # 233610, 1000 x 475 mm	1000 x 475 mm	XB6122
Vanity unit wall-mounted 1 pull-out compartment, for ME by Starck # 233610, 1010 x 480 mm	1010 x 480 mm	XV4027
Vanity unit wall-mounted 2 drawers, upper drawer including cut-out for siphon and siphon cover, for ME by Starck # 233610, 1010 x 480 mm	1010 x 480 mm	XV4127
Vanity unit floor-standing 2 pull-out compartments, upper pull-out compartment including cut-out for siphon and siphon cover, for ME by Starck # 233610, 1010 x 480 mm	1010 x 480 mm	XV4483
Vanity unit wall-mounted 1 pull-out compartment, for ME by Starck # 233610, 1010 x 462 mm	1010 x 462 mm	DE4263

ME by Starck Washbasin, furniture washbasin # 233610..00 / 233610..00 / 233610..60 / 233610..60

|< 1030 mm >|

Vanity unit wall-mounted 1 drawer, 1 pull-out compartment, upper drawer including cut-out for siphon and siphon cover, for ME by Starck # 233610, 1010 x 462 mm	1010 x 462 mm	DE4363
Vanity unit wall-mounted 1 pull-out compartment, for ME by Starck # 233610, 1010 x 480 mm	1010 x 480 mm	K25064
Vanity unit wall-mounted 2 drawers, upper drawer including cut-out for siphon and siphon cover, for ME by Starck # 233610, 1010 x 480 mm	1010 x 480 mm	K25264
Recommended faucets		
Single lever basin mixer M ceramic cartridge, Projection 139 mm, flexible connection hoses 3/8", aerator adjustable, normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, with pop-up waste set,		B11020001
Single lever basin mixer M ceramic cartridge, Projection 139 mm, flexible connection hoses 3/8", aerator adjustable, normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, with pop-up waste set,		B21020001
Single lever basin mixer M ceramic cartridge, Projection 139 mm, flexible connection hoses 3/8", aerator adjustable, normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, without pop-up waste set,		B11020002
Single lever basin mixer M ceramic cartridge, Projection 139 mm, flexible connection hoses 3/8", aerator adjustable, normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, without pop-up waste set,		B21020002
Single lever basin mixer M ceramic cartridge, Projection 109 mm, flexible connection hoses 3/8", aerator adjustable, normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, with pop-up waste set,		DE1020001
Single lever basin mixer M ceramic cartridge, Projection 109 mm, flexible connection hoses 3/8", aerator adjustable, normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, without pop-up waste set,		DE1020002
Single lever basin mixer M FreshStart ceramic cartridge, in centre position cold water, Projection 109 mm, flexible connection hoses 3/8", aerator adjustable, normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, with pop-up waste set,		DE1021001
Single lever basin mixer M FreshStart ceramic cartridge, in centre position cold water, Projection 109 mm, flexible connection hoses 3/8", aerator adjustable, normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, without pop-up waste set,		DE1021002

ME by Starck Washbasin, furniture washbasin # 233610..00 / 233610..00 / 233610..60 / 233610..60

|< 1030 mm >|

Single lever basin mixer M ceramic cartridge, projection 106 mm, flexible connection hoses 3/8", normal spray, flow rate 5,0 l/min (3 bar), connection size DN15, chrome, recommended operating pressure 1 - 5 bar, with pop-up waste set,	N11020001
Single lever basin mixer M ceramic cartridge, projection 106 mm, flexible connection hoses 3/8", normal spray, flow rate 5,0 l/min (3 bar), connection size DN15, chrome, recommended operating pressure 1 - 5 bar, without pop-up waste set,	N11020002
Single lever basin mixer M FreshStart ceramic cartridge, in centre position cold water, projection 106 mm, flexible connection hoses 3/8", normal spray, flow rate 5,0 l/min (3 bar), connection size DN15, chrome, recommended operating pressure 1 - 5 bar, with pop-up waste set,	N11021001
Single lever basin mixer M FreshStart ceramic cartridge, in centre position cold water, projection 106 mm, flexible connection hoses 3/8", normal spray, flow rate 5,0 l/min (3 bar), connection size DN15, chrome, recommended operating pressure 1 - 5 bar, without pop-up waste set,	N11021002
Single lever basin mixer M MinusFlow ceramic cartridge, projection 106 mm, flexible connection hoses 3/8", normal spray, flow rate 3,5 l/min (3 bar), connection size DN15, chrome, recommended operating pressure 1 - 5 bar, with pop-up waste set,	N11022001
Single lever basin mixer M MinusFlow ceramic cartridge, projection 106 mm, flexible connection hoses 3/8", normal spray, flow rate 3,5 l/min (3 bar), connection size DN15, chrome, recommended operating pressure 1 - 5 bar, without pop-up waste set,	N11022002
Single lever basin mixer M FreshStart ceramic cartridge, in centre position cold water, projection 135 mm, flexible connection hoses 3/8", flow rate 5,0 l/min (3 bar), normal spray, connection size DN15, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, with pop-up waste set,	TU1021001
Single lever basin mixer M FreshStart ceramic cartridge, in centre position cold water, projection 135 mm, flexible connection hoses 3/8", flow rate 5,0 l/min (3 bar), normal spray, connection size DN15, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, without pop-up waste set,	TU1021002
Single lever basin mixer M ceramic cartridge, projection 135 mm, flexible connection hoses 3/8", flow rate 5,0 l/min (3 bar), normal spray, connection size DN15, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, without pop-up waste set,	TU1020002
Single lever basin mixer M ceramic cartridge, projection 135 mm, flexible connection hoses 3/8", flow rate 5,0 l/min (3 bar), normal spray, connection size DN15, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, with pop-up waste set,	TU1020001
Single lever basin mixer M ceramic cartridge, projection 122 mm, aerator with Easy-clean sprayplate, flow rate 5,0 l/min (3 bar), normal spray, connection size DN15, recommended operating pressure 1 - 5 bar, with pop-up waste set,	WA1020001

ME by Starck Washbasin, furniture washbasin # 233610..00 / 233610..00 / 233610..60 / 233610..60

|< 1030 mm >|

Single lever basin mixer M ceramic cartridge, projection 122 mm, aerator with Easy-clean sprayplate, flow rate 5,0 l/min (3 bar), normal spray, connection size DN15, recommended operating pressure 1 - 5 bar, without pop-up waste set,	WA1020002
Single lever basin mixer for concealed installation normal spray, ceramic cartridge, aerator with Easy-clean sprayplate, flow rate 5,0 l/min (3 bar), connection type: basic set for concealed installation, includes: visible parts, recommended operating pressure 1 - 5 bar, projection 202 mm,	WA1070004
Single lever basin mixer M ceramic cartridge, projection 129 mm, aerator with Easy-clean sprayplate, flow rate 5,0 l/min (3 bar), normal spray, recommended operating pressure 1 - 5 bar, with pop-up waste set,	MH1020001
Single lever basin mixer M ceramic cartridge, projection 129 mm, aerator with Easy-clean sprayplate, flow rate 5,0 l/min (3 bar), normal spray, recommended operating pressure 1 - 5 bar, without pop-up waste set,	MH1020002
Single lever basin mixer M FreshStart connection size DN15,	WA1021001
Single lever basin mixer M FreshStart connection size DN15,	WA1021002
Single lever basin mixer M MinusFlow connection size DN15,	WA1022001
Single lever basin mixer M MinusFlow connection size DN15,	WA1022002

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding. Exact measurements, in particular for customised installation scenarios, can only be taken from the finished piece.