



Contents

Sage Accessories

infinity Series	
Silk Range	02
Satin Range	08
Lace Range	14
Designer Ranges	
Neo Range	20
Bore Range	26
Shore Range	34
Spring Range	40
Original Ranges	
Bore Elbow	48
Moon Range	54
Darling Range	60
Mixed Loop	66
Mixed Solid	72
Mixed Elbow	78
Neap Range	84
Crimson Range	90
Rip Range	96
Shower Range	102


118



Standard Basin Mixer

The Silk standard basin mixer has a reach of 143mm and a height of 173mm. Included with the mixer are $2 \times 1/2$ " braided inlet tubes that are 350mm in length. This mixer is supplied standard with a 4 litre per minute aerator which is the national building regulations requirement for basin mixers.

Type: Single Lever











SK0A010 Brushed Brass


SK0B010 Black

SK0M010 Gunmetal

SK00010 Chrome

High Basin Mixer

This high basin mixer has a reach of 176mm and a comfortable height of 273mm. Included with the mixer are $2 \times 1/2$ " braided inlet tubes that are 350mm in length. This mixer is supplied standard with a 4 litre per minute aerator which is the national building regulations requirement for basin mixers.













SK0A012 **Brushed Brass**

SK0B012 Black


SK0M012 Gunmetal

 $3LUTID\Xi$ Silk Range

Gooseneck Basin Mixer







The gooseneck basin mixer has a reach of 140mm and a height of 268mm. Included with the mixer are $2 \times 1/2$ " braided inlet tubes that are 350mm in length. This mixer is supplied standard with a 4 litre per minute aerator which is the national building regulations requirement for basin mixers. Type: Single Lever



SK0A013 Brushed Brass



SK0B013 Black




SK0M013 Gunmetal

Basin/Bath Mixer Trim







The spout on this wall mounted mixer has a comfortable reach of 174mm. The centres are 115mm apart. Required inwall part SET0014. Type: Single Lever

SK00014T Chrome



SK0A014T Brushed Brass



SK0B014T Black



SK0M014T Gunmetal




Infinity Inwall Concealed Basin/Bath Mixer

Silk Range

Spray Sink Mixer

The Silk spray sink mixer has a reach of 228 mm and the height from the base to the outlet is 230mm. Overall height is 435mm. Included with this mixer are 2 x ½" braided inlet tubes that are 350mm in length. The diameter drilled into the surface (granite) for installation should be between 34-38mm.

Type: Single Lever





SK00017 Chrome








SK0B017 Black



SKOM017 Gunmetal

Sink Mixer

The Silk sink mixer has a reach of 192mm and the height from the base to the outlet is 295mm. Overall height is 430mm. Included with this mixer are 2 x ½" braided inlet tubes that are 350mm in length. The diameter drilled into the surface (granite) for installation should be between 34-38mm.





SK0M018 Gunmetal



SK00018 Chrome




SK0A018 Brushed Brass

SK0B018 Black

3 L U T I D E Silk Range

Single Hole Sink Mixer



The Silk range single hole sink mixer has a swivel spout. The reach is 230mm and the height is 325mm. Included with this mixer are 2 x 1/2" braided inlet tubes that are 350mm in length. The diameter drilled into the surface (granite) for installation should be between 34-38mm in diameter.

Type: Single Lever










SK0A019 Brushed Brass

SK0B019 Black

SK0M019 Gunmetal

Round Free Standing Bath Mixer with Hand Shower





SK00035


This free standing bath mixer measures 1008mm from the floor to the outlet and the spout has a reach of 200mm. The inlets are 1/2" female connections. Type: Single Lever



Concealed Mixer Trim Kit

Blutide concealed mixer bodies are designed for ease of installation. Includes two ½" BSP inlets and one ½" BSP outlet. In addition the body is supplied with a protective plastic sleeve. This sleeve protects the plated portion of the body during plastering and tiling. Required inwall part SET0000.

Type: Single Lever











SK0B000T Black



SK0M000T Gunmetal




SET0000 Infinity Inwall Concealed Mixer



Concealed Diverter Trim Kit

Blutide concealed diverter mixer bodies are designed for ease of installation.
Includes two ½" BSP inlets and two ½"
BSP outlets. In addition the body is supplied with a protective plastic sleeve.
This sleeve protects the plated portion of the body during plastering and tiling.
Required inwall part SET0040.





SK0A040T Brushed Brass



SK0B040T Black



SK0M040T Gunmetal



SET0040 Infinity Inwall Concealed Diverter Mixer




SK00040T Chrome



Standard Basin Mixer

The Satin standard basin mixer has a reach of 143mm and a height of 173mm. Included with the mixer are 2 x 1/2" braided inlet tubes that are 350mm in length. This mixer is supplied standard with a 4 litre per minute aerator which is the national building regulations requirement for basin mixers.

Type: Single Lever











SN0A010 Brushed Brass


SN0B010 Black

SN0M010 Gunmetal

SN00010 Chrome

High Basin Mixer

This high basin mixer has a reach of 176mm and a comfortable height of 273mm. Included with the mixer are 2 x 1/2" braided inlet tubes that are 350mm in length. This mixer is supplied standard with a 4 litre per minute aerator which is the national building regulations requirement for basin mixers.





SN0A012 Brushed Brass

SN0B012 Black

SN0M012 Gunmetal


SN00012 Chrome

3 L U T I D E Satin Range

Gooseneck Basin Mixer







The gooseneck basin mixer has a reach of 140mm and a height of 268mm. Included with the mixer are 2 x 1/2" braided inlet tubes that are 350mm in length. This mixer is supplied standard with a 4 litre per minute aerator which is the national building regulations requirement for basin mixers.

Type: Single Lever








SN0B013 Black



SN0M013 Gunmetal

Basin/Bath Mixer Trim





The spout on this wall mounted mixer has a comfortable reach of 174mm. The centres are 115mm apart. Required inwall part SET0014.

Type: Single Lever





SN0A014T Brushed Brass



SN0B014T Black



SN0M014T Gunmetal



SET0014 Infinity Inwall Concealed Basin/Bath Mixer

Satin Range 3 L U T I D E

Spray Sink Mixer

The Satin spray sink mixer has a reach of 228 mm and the height from the base to the outlet is 230mm.

Overall height is 435mm. Included with this mixer are 2 x ½" braided inlet tubes that are 350mm in length. The diameter drilled into the surface (granite) for installation should be between 34-38mm.

Type: Single Lever












SN0B017 Black



SN0M017 Gunmetal

Sink Mixer

The Satin sink mixer has a reach of 192mm and the height from the base to the outlet is 295mm. Overall height is 430mm. Included with this mixer are 2 x ½" braided inlet tubes that are 350mm in length. The diameter drilled into the surface (granite) for installation should be between 34-38mm.





SN0A018 Brushed Brass



SN0B018 Black



SN0M018 Gunmetal




SN00018 Chrome

3 L U T I D E Satin Range

Single Hole Sink Mixer







The Satin range single hole sink mixer has a swivel spout. The reach is 230mm and the height is 325mm. Included with this mixer are 2 x 1/2" braided inlet tubes that are 350mm in length. The diameter drilled into the surface (granite) for installation should be between 34-38mm in diameter.

Type: Single Lever








SN0B019 Black



SN0M019 Gunmetal

Round Free Standing Bath Mixer with Hand Shower





SN00035 Chrome

This free standing bath mixer measures 1008mm from the floor to the outlet and the spout has a reach of 200mm. The inlets are 1/2" female connections. Type: Single Lever



Satin Range

Concealed Mixer Trim Kit

Blutide concealed mixer bodies are designed for ease of installation. Includes two 1/2" BSP inlets and one 1/2" BSP outlet. In addition the body is supplied with a protective plastic sleeve. This sleeve protects the plated portion of the body during plastering and tiling. Required inwall part SET0000.

Type: Single Lever









SN0B000T Black



SN0M000T Gunmetal


SET0000 Infinity Inwall Concealed Mixer



Concealed Diverter Trim Kit

Blutide concealed diverter mixer bodies are designed for ease of installation. Includes two ½" BSP inlets and two ½" BSP outlets. In addition the body is supplied with a protective plastic sleeve. This sleeve protects the plated portion of the body during plastering and tiling. Required inwall part SET0040.

Type: Single Lever







SN0A040T **Brushed Brass**



SN0B040T Black



SN0M040T Gunmetal



SET0040 Infinity Inwall Concealed Diverter Mixer

SN00040T Chrome



Lace Range 3 L U T I D E

Standard Basin Mixer

The Lace standard basin mixer has a reach of 125mm and a height of 197mm. Included with the mixer are $2 \times 1/2$ " braided inlet tubes that are 350mm in length. This mixer is supplied standard with a 4 litre per minute aerator which is the national building regulations requirement for basin mixers.

Type: Single Lever












LA0A010 Brushed Brass LA0B010 Black

LA0M010 Gunmetal LA00010 Chrome

High Basin Mixer

This high basin mixer has a reach of 170mm and a comfortable height of 282mm. Included with the mixer are $2 \times 1/2$ " braided inlet tubes that are 350mm in length. This mixer is supplied standard with a 4 litre per minute aerator which is the national building regulations requirement for basin mixers.











LA0A012 **Brushed Brass**

LA0B012 Black


LA0M012 Gunmetal

3 L U T I D E

Gooseneck Basin Mixer



LA00013 Chrome



The gooseneck basin mixer has a reach of 140mm and a height of 268mm. Included with the mixer are 2 x 1/2" braided inlet tubes that are 350mm in length. This mixer is supplied standard with a 4 litre per minute aerator which is the national building regulations requirement for basin mixers.

Type: Single Lever








Brushed Brass

Black

LA0M013 Gunmetal

Basin/Bath Mixer Trim





The spout on this wall mounted mixer has a comfortable reach of 185mm. The centres are 115mm apart. Required inwall part SET0014.

Type: Single Lever

LA00014T Chrome



LA0A014T Brushed Brass



LA0B014T Black



LA0M014T Gunmetal



SET0014 Infinity Inwall Concealed Basin/Bath Mixer


Lace Range 3 L U T I D E

Spray Sink Mixer

The Lace spray sink mixer has a reach of 228 mm and the height from the base to the outlet is 230mm.

Overall height is 435mm. Included with this mixer are 2 x ½" braided inlet tubes that are 350mm in length. The diameter drilled into the surface (granite) for installation should be between 34-38mm.

Type: Single Lever





LA00017 Chrome



LA0A017 Brushed Brass




LA0B017 Black

LAOM017 Gunmetal

Sink Mixer

The Lace sink mixer has a reach of 192mm and the height from the base to the outlet is 295mm. Overall height is 430mm. Included with this mixer are 2 x ½" braided inlet tubes that are 350mm in length. The diameter drilled into the surface (granite) for installation should be between 34-38mm.





LA0M019 Gunmetal



LA0A019 Brushed Brass



LAOB019 Black




LA00019 Chrome

3LUTIDELace Range

Concealed Mixer Trim Kit

Blutide concealed mixer bodies are designed for ease of installation. Includes two 1/2" BSP inlets and one 1/2" BSP outlet. In addition the body is supplied with a protective plastic sleeve. This sleeve protects the plated portion of the body during plastering and tiling. Required inwall part SET0000.

Type: Single Lever








LA0B000T LA0M000T Black Gunmetal

SET0000 Infinity Inwall Concealed Mixer



Concealed Diverter Trim Kit

Blutide concealed diverter mixer bodies are designed for ease of installation. Includes two ½" BSP inlets and two ½" BSP outlets. In addition the body is supplied with a protective plastic sleeve. This sleeve protects the plated portion of the body during plastering and tiling. Required inwall part SET0040.







LA0A040T **Brushed Brass**



LAOBO40T Black



LA0M040T Gunmetal




SET0040 Infinity Inwall Concealed Diverter Mixer

LA00040T Chrome

Lace Range 3 L U T I D E

Round Free Standing Bath Mixer with Hand Shower








Neo Range 3 L U T I D E

Standard Basin Mixer

The Neo basin mixer has a reach of 135mm. Included with the mixer are $2 \times 1/2$ " braided inlet tubes that are 350mm in length. The diameter drilled into the surface (granite) for installation should be between 30-35mm. Type: Single Lever













NM00010 Chrome

NM0A010 Brushed Brass


NM0B010 Black

NM0M010 Gunmetal

NM0S010 Brushed Stainless Steel

High Basin Mixer

The Neo high basin mixer has a reach of 178mm. The height from the surface to the outlet is 195mm. Included with the mixer are 2 x 1/2" braided inlet tubes that are 350mm in length. The diameter drilled into the surface (granite) for installation should be between 30-35mm.









NM0B012 Black



NM0M012 Gunmetal




NM0S012 Brushed Stainless Steel



NM00012 Chrome

3 L U T I D E Neo Range

Basin Concealed Mixer with Spout



This wall mounted concealed basin mixer has 1/2" female connections. The centres are 115mm and the length of the spout is 205mm. The overall size of the cover plate is 220mm. Type: Single Lever

NM00014

Chrome









NM0A014 Brushed Brass

NM0B014 Black


NM0M014 Gunmetal

NM0S014 Brushed Stainless Steel

Pull Out Sink Mixer




NM00017 Chrome





NM0M017



Type: Single Lever



NM0A017 Brushed Brass



NM0B017 Black



Gunmetal



Brushed Stainless Steel

Neo Range 3 L U T I D E

Single Hole Sink Mixer

The Neo sink mixer has a reach of 225mm and the height from the base to the outlet is 260mm. Overall height is 380mm. Included with this mixer are $2 \times \frac{1}{2}$ " braided inlet tubes that are 350mm in length. The diameter drilled into the surface (granite) for installation should be between 32-44mm.

Type: Single Lever





NM0A019 Brushed Brass

NM0B019


Black

NM0M019 Gunmetal

Concealed Mixer

Blutide concealed mixer bodies are designed for ease of installation. Includes two 1/2" BSP x 15mm compression inlets and one 1/2" BSP x 15mm compression outlet. The body is supplied with nuts and 15mm compression rings making the installation quicker and more cost effective for the plumber. In addition the body is supplied with a protective plastic sleeve. This sleeve protects the plated portion of the body during plastering and tiling.











NM00000 Chrome

NM0A000 Brushed Brass


NM0B000 Black

NM0M000 Gunmetal

NM0S000 Brushed Stainless Steel

3 L U T I D E Neo Range

Concealed Diverter Mixer



Blutide concealed diverter mixer bodies are designed for ease of installation. Includes two ½" BSP inlets and two ½" BSP outlets. In addition the body is supplied with a protective plastic sleeve. This sleeve protects the plated portion of the body during plastering and tiling.

Type: Single Lever

NM00040 Chrome



NM0A040 Brushed Brass



NM0B040 Black



NM0M040 Gunmetal




NM0S040 Brushed Stainless Steel






Neo Range







MASONRY DRILL SIZE Ø12x50mm Deep

This free standing bath mixer measures 1008mm from the floor to the outlet and the spout has a reach of 200mm. The inlets are 1/2" female connections.



NM00035 Chrome





NM0A035 Brushed Brass



NM0M035 Gunmetal




NM0B035 Black



NM0S035 Brushed Stainless Steel



70mm Basin Mixer






BT00011 Chrome

Bore range guest basin mixer has a 95mm reach. Suitable for smaller basins. Supplied standard with a 4 litre per minute aerator which is the national building regulations requirement for basin mixers. Included with the mixer are $2 \times 1/2$ " braided inlet tubes that are 350mm in length.

Type: Single Lever

100mm Basin Mixer





BT00010 Chrome


Bore range standard basin mixer has a comfortable reach of 95mm. Supplied standard with a 4 litre per minute aerator which is the national building regulations requirement for basin mixers. Included with the mixer are $2 \times 1/2$ " braided inlet tubes that are 350mm in length. Type: Single Lever

3 L U T I D E

Bore Range

210mm Basin Mixer






BT00012 Chrome

This high basin mixer has a comfortable height of 269mm and a reach of 113mm. Supplied standard with a 4 litre per minute aerator which is the national building regulations requirement for basin mixers. Included with the mixer are $2 \times 1/2$ " braided inlet tubes that are 350mm in length.

Type: Single Lever

Basin Concealed Mixer with Spout






BT00014 Chrome

This wall mounted concealed basin mixer has 1/2" female connections.

The centres are 115mm apart and the length of the spout is 193mm.

The overall size of the coverplate is 220mm.

Single Hole Sink Mixer






BT00018 Chrome

The Bore range single hole sink mixer has a swivel spout and the reach is 168mm. Included with the mixer are $2 \times 1/2$ " braided inlet tubes that are 350mm in length. The diameter drilled into the surface (granite) for installation should be between 30-35mm diameter.

Type: Single Lever

Single Hole Sink Mixer





BT00019 Chrome


The Bore range single hole sink mixer has a swivel spout and the reach is 222mm. Included with the mixer are $2 \times 1/2$ " braided inlet tubes that are 350mm in length. The diameter drilled into the surface (granite) for installation should be between 30-35mm diameter.

Bore Range

3 L U T I D E

Raised Swivel Sink Mixer





Total Tube Length: 500mm Exposed Tube Length: 350mm


BT00023 Chrome

The raised swivel sink mixer has a reach is 215mm. The height from the base to the outlet is 180mm. Included with the mixer are $2 \times 1/2$ " braided inlet tubes that are 350mm in length. The diameter drilled into the surface (granite) for installation should be between 33-44mm diameter.

Type: Single Lever

Sink Mixer Tap W/T Std Offset







BT00022 Chrome

The Bore range wall type sink mixer has a swivel spout and the reach is 220mm. Included with the mixer are 2 x S-connections and coverplates. The inlet centres are 150mm apart and adjustable from 130mm to 170mm.

3 L U T I D E

Concealed Mixer








BT00000 Chrome

Blutide concealed mixer bodies are designed for ease of installation. Includes two 1/2" BSP x 15mm compression inlets and one 1/2" BSP x 15mm compression outlet. The body is supplied with nuts and 15mm compression rings making the installation quicker and more cost effective for the plumber. In addition the body is supplied with a protective plastic sleeve. This sleeve protects the plated portion of the body during plastering and tiling.

Type: Single Lever

Concealed Diverter Mixer





BT00040 Chrome

Blutide concealed diverter mixer bodies are designed for ease of installation.


Includes two ½" BSP inlets and two ½" BSP outlets. In addition the body is supplied with a protective plastic sleeve. This sleeve protects the plated portion of the body during plastering and tiling.

3 L U T I D E

Bore Range

Bath Mixer W/T Std Offset






BT00030 Chrome

Bore range wall type bath mixer comes complete with a wall bracket, hand shower and hose. Included with the mixer are 2 x s connections and coverplates. The inlet centres on this mixer are 150mm apart and are adjustable from 130mm to 170mm. Type: Single Lever

Round Free Standing Bath Mixer with Hand Shower





BT00035


This free standing bath mixer measures 1008mm from the floor to the outlet and the spout has a reach of 200mm. The inlets are 1/2" female connections.

Bore Range 3 L U T I D E





90mm Standard Basin Mixer





7

SH0B010


Black

Total Tube Length: 400mm Exposed Tube Length: 350mm

SH00010 Chrome

Shore range standard basin mixer has a comfortable reach of 100mm. Supplied standard with a 4 litre per minute aerator which is the national building regulations requirement for basin mixers. Included with the mixer are $2 \times 1/2$ " braided inlet tubes that are 350mm in length. Type: Single Lever

210mm High Basin Mixer





SH00012 Chrome

1


SH0B012 Black

Shore range high basin mixer has a comfortable height of 250mm and a reach of 120mm. Supplied standard with a 4 litre per minute aerator which is the national building regulations requirement for basin mixers. Included with the mixer are $2\times1/2$ " braided inlet tubes that are 350mm in length. Type: Single Lever

3 L U T I D E Shore Range

Single Hole Sink Mixer





SH00019 Chrome


The Shore range single hole sink mixer has a swivel spout and the reach is 196mm. Included with the mixer are $2 \times 1/2$ " braided inlet tubes that are 350mm in length. The diameter drilled into the surface (granite) for installation should be between 30-35mm diameter. Type: Single Lever



SH0B019 Black

Bath Mixer W/T Std Offset






SH00030 Chrome

Shore range wall type bath mixer comes complete with a wall bracket, hand shower and hose. Included with the mixer are $2 \times s$ connections and coverplates. The inlet centres on this mixer are 150mm apart and are adjustable from 130mm to 170mm.



SH0B030 Black

Concealed Mixer





SH00000 Chrome




SH0B000 Black

Blutide concealed mixer bodies are designed for ease of installation. Includes two 1/2" BSP x 15mm compression inlets and one 1/2" BSP x 15mm compression outlet. The body is supplied with nuts and 15mm compression rings making the installation quicker and more cost effective for the plumber. In addition the body is supplied with a protective plastic sleeve. This sleeve protects the plated portion of the body during plastering and tiling.

Type: Single Lever

Concealed Diverter Mixer





SH00040 Chrome

Blutide concealed diverter mixer bodies are designed for ease of installation. Includes two $\frac{1}{2}$ " BSP inlets and two $\frac{1}{2}$ " BSP outlets. In addition the body is supplied with a protective plastic sleeve. This sleeve protects the plated portion of the body during plastering and tiling.




SH0B040 Black

3 L U T I D E Shore Range

Square Free Standing Bath Mixer with Hand Shower





SH00035 Chrome

This free standing bath mixer measures 1008mm from the floor to the outlet and the spout has a reach of 200mm. The inlets are 1/2" female connections.






SH0B035 Black




Shore Range 3 L U T I D E





65mm Basin Mixer







ST00011 Chrome


The Spring range guest basin mixer has a 103mm reach and is suitable for smaller basins. Supplied standard with a 4 litre per minute aerator which is the national building regulations requirement for basin mixers. Included with the mixer are $2 \times 1/2$ " braided inlet tubes that are 350mm in length.

Type: Single Lever



STOB011 Black

80mm Basin Mixer



ST00010 Chrome



STOB010 Black


The Spring range standard basin mixer has a comfortable reach of 125mm. Supplied standard with a 4 litre per minute aerator which is the national building regulations requirement for basin mixers. Included with the mixer are $2 \times 1/2$ " braided inlet tubes that are 350mm in length.

Type: Single Lever

3 L U T I D E Spring Range

210mm Basin Mixer





ST00012 Chrome


Spring range high basin mixer has a comfortable height of 280mm and a reach of 127mm. Supplied standard with a 4 litre per minute aerator which is the national building regulations requirement for basin mixers. Included with the mixer are $2 \times 1/2$ " braided inlet tubes that are 350mm in length. Type: Single Lever



STOB012 Black

Basin Concealed Mixer with Spout







ST00014 Chrome


This wall mounted concealed basin mixer has 1/2" female connections.

The centres are 115mm apart and the length of the spout is 193mm.

The overall size of the coverplate is 220mm.

STOB014 Black


Bidet Mixer



ST00015 Chrome

This bidet mixer has a swivel aerator and the outlet is at a height of 95mm. It is supplied with $2 \times \frac{1}{2}$ " braided inlet tubes that are 350mm in length. Type: Single Lever

Bath Mixer W/T Std Offset



STOB030 Black


Chrome

Spring range wall type bath mixer comes complete with a wall bracket, hand shower and hose. Included with the mixer are 2 x s connections and coverplates. The inlet centres on this mixer are 150mm apart and are adjustable from 130mm to 170mm.

3 L U T I D E Spring Range

Concealed Mixer





ST00000 Chrome

Blutide concealed mixer bodies are designed for ease of installation. Includes two 1/2" BSP x 15mm compression inlets and one 1/2" BSP x 15mm compression outlet. The body is supplied with nuts and 15mm compression rings making the installation quicker and more cost effective for the plumber. In addition the body is supplied with a protective plastic sleeve. This sleeve protects the plated portion of the body during plastering and tiling.






STOBOOO Black

Concealed Diverter Mixer






ST00040 Chrome

Blutide concealed diverter mixer bodies are designed for ease of installation. Includes two $\frac{1}{2}$ " BSP inlets and two $\frac{1}{2}$ " BSP outlets. In addition the body is supplied with a protective plastic sleeve. This sleeve protects the plated portion of the body during plastering and tiling.



ST0B040 Black

Single Hole Sink Mixer





ST00019 Chrome


ST0B019

Black

The Spring range single hole sink mixer has a swivel spout and the reach is 222mm. Included with this mixer are $2 \times 1/2$ " braided inlet tubes that are 350mm in length. The diameter drilled into the surface (granite) for installation should be between 30-35mm in diameter.

Type: Single Lever

Sink Mixer W/T Std Offset






ST00022 Chrome

The Spring range wall type sink mixer has a swivel spout and the reach is 220mm. Included with the mixer are $2\,x$ S-connections and coverplates. The inlet centres are 150mm apart and adjustable from 130mm to 170mm.

3 L U T I D E Spring Range

Square Free Standing Bath Mixer with Hand Shower






Spring Range 3 L U T I D =





70mm Basin Mixer






BD00011 Chrome

This basin mixer has a height of 134mm and a reach of 95mm. Tested by the SABS and displaying the prestigious Australian Watermark accreditation for plumbing fittings this range of affordable mixers is Jaswic approved.

Type: Single Lever

100mm Basin Mixer






BD00010 Chrome

This basin mixer has a height of 167mm and a reach of 95mm. Tested by the SABS and displaying the prestigious Australian Watermark accreditation for plumbing fittings this range of affordable mixers is Jaswic approved.

Type: Single Lever

210mm Basin Mixer






BD00012 Chrome

This basin mixer has a comfortable height of 275mm and a reach of 113mm. Tested by the SABS and displaying the prestigious Australian Watermark accreditation for plumbing fittings this range of affordable mixers is Jaswic approved.

Type: Single Lever

Single Hole Sink Mixer






BD00019 Chrome

The sink mixer has a height of 375mm and a reach of 222mm. Tested by the SABS and displaying the prestigious Australian Watermark accreditation for plumbing fittings this range of affordable mixers is Jaswic approved.

One Hole Sink Mixer






BD00018 Chrome

The sink mixer has a height of 306mm and a reach of 168mm. Tested by the SABS and displaying the prestigious Australian Watermark accreditation for plumbing fittings this range of affordable mixers is Jaswic approved.

Type: Single Lever

Sink Mixer W/T Std Offset






BD00022 Chrome

The wall type sink mixer has a height of 82mm and a reach of 220mm. Tested by the SABS and displaying the prestigious Australian Watermark accreditation for plumbing fittings this range of affordable mixers is Jaswic approved.

Type: Single Lever

Concealed Mixer






BD00000 Chrome

Tested by the SABS and displaying the prestigious Australian Watermark accreditation for plumbing fittings this range of affordable mixers is Jaswic approved.

Type: Single Lever


Concealed Diverter Mixer





BD00040 Chrome

Tested by the SABS and displaying the prestigious Australian Watermark accreditation for plumbing fittings this range of affordable mixers is Jaswic approved.





Moon Range


3 L U T I D E

Standard Basin Mixer

Moon range standard basin mixer has a comfortable reach of 120mm. Supplied standard with a 4 litre per minute aerator which is the national building regulations requirement for basin mixers.

Included with the mixer are 2 x 1/2" braided inlet tubes that are 350mm in length.

Type: Single Lever










MT1B010 Black

MT1S010 Brushed Stainless Steel

MT10010 Chrome

High Basin Mixer

Moon range high basin mixer has a comfortable height of 269mm and a reach of 135mm. Supplied standard with a 4 litre per minute aerator which is the national building regulations requirement for basin mixers. Included with the mixer are 2 x 1/2" braided inlet tubes that are 350mm in length.









MT1B012 Black


MT1S012 Brushed Stainless Steel

MT10012 Chrome

3 L U T I D E Moon Range

Basin Concealed Mixer with Spout





The Moon range wall mounted concealed basin mixer has 1/2" female connections. The centres are 115mm apart and the length of the spout is 205mm. The overall size of the coverplate is 220mm.

Type: Single Lever

MT10014 Chrome






MT1B014 Black

MTIS014 Brushed Stainless Steel

Bath Mixer W/T Std Offset







Moon range wall type bath mixer comes complete with a wall bracket, hand shower and hose. Included with the mixer are 2 x s connections and coverplates. The inlet centres on this mixer are 150mm apart and are adjustable from 130mm to 170mm.



MT1B030 Black

MT1S030 Brushed Stainless Steel

Single Hole Sink Mixer

The Moon range single hole sink mixer has a swivel spout and the reach is 200mm. Included with the mixer are $2 \times 1/2$ " braided inlet tubes that are 350mm in length. The diameter drilled into the surface (granite) for installation should be between 33-44mm diameter.

Type: Single Lever









MT1S019 Brushed Stainless Steel



Sink Mixer W/T Std Offset

The Moon range wall type sink mixer has a swivel spout and the reach is 220mm. Included with the mixer are 2 x S-connections and coverplates. The inlet centres are 150mm apart and adjustable from 130mm to 170mm.






MT1B022 Black



MT1S022 Brushed Stainless Steel



3 L U T I D E Moon Range


Wall Type Sink Mixer J Spout



MT10025 Chrome


This wall type sink mixer has a swivel J spout with a height of 340mm and a reach of 225mm.

Type: Single Lever



Round Free Standing Bath Mixer with Hand Shower





MT10035 Chrome

This free standing bath mixer measures 1008mm from the floor to the outlet and the spout has a reach of 200mm. The inlets are 1/2" female connections.



MT1S035 Brushed Stainless Steel



MT1B035 Black


Concealed Mixer




MT1B000 Black



MTIS000 Brushed Stainless Steel







MT10000 Chrome

Blutide concealed mixer bodies are designed for ease of installation. Includes two 1/2" BSP x 15mm compression inlets and one 1/2" BSP x 15mm compression outlet. The body is supplied with nuts and 15mm compression rings making the installation quicker and more cost effective for the plumber. In addition the body is supplied with a protective plastic sleeve. This sleeve protects the plated portion of the body during plastering and tiling.

Type: Single Lever


Concealed Diverter Mixer



MT1B040 Black



MT1S040 Brushed Stainless Steel






MT10040 Chrome

Blutide concealed diverter mixer bodies are designed for ease of installation. Includes two $\frac{1}{2}$ " BSP inlets and two $\frac{1}{2}$ " BSP outlets. In addition the body is supplied with a protective plastic sleeve. This sleeve protects the plated portion of the body during plastering and tiling.



Guest Basin Mixer






DA00011 Chrome

The Darling range guest basin mixer has a reach of 95mm. Supplied standard with a 4 litre per minute aerator which is the national building regulations requirement for basin mixers. Included with the mixer are $2\times1/2$ " braided inlet tubes that are 350mm in length. Type: Single Lever

Basin Mixer



Exposed Tube Length: 350mm



DA00010 Chrome

Darling range standard basin mixer has a comfortable reach of 120mm. Supplied standard with a 4 litre per minute aerator which is the national building regulations requirement for basin mixers. Included with the mixer are $2 \times 1/2$ " braided inlet tubes that are 350mm in length.


Type: Single Lever

Darling Range

3 L U T I D E

210mm Basin Mixer






DA00012 Chrome

Darling range high basin mixer has a comfortable height of 262mm and a reach of 156mm. Supplied standard with a 4 litre per minute aerator which is the national building regulations requirement for basin mixers. Included with the mixer are $2 \times 1/2$ " braided inlet tubes that are 350mm in length. Type: Single Lever

Single Hole Sink Mixer






DA00019 Chrome

Darling range single hole sink mixer has a swivel spout and the reach is 155mm. Included with the mixer are $2 \times 1/2$ " braided inlet tubes that are 350mm in length. The diameter drilled into the surface (granite) for installation should be between 30 to 35mm diameter.

Concealed Mixer






DA00000 Chrome

Blutide concealed mixer bodies are designed for ease of installation. Includes two 1/2" BSP x 15mm compression inlets and one 1/2" BSP x 15mm compression outlet. The body is supplied with nuts and 15mm compression rings making the installation quicker and more cost effective for the plumber. In addition the body is supplied with a protective plastic sleeve. This sleeve protects the plated portion of the body during plastering and tiling.

Type: Single Lever

Concealed Diverter Mixer





DA00040 Chrome

Blutide concealed diverter mixer bodies are designed for ease of installation. Includes two ½" BSP inlets and two ½" BSP outlets. In addition the body is supplied with a protective plastic sleeve. This sleeve protects the plated portion of the body during plastering and tiling.


Type: Single Lever

Darling Range

3LUTIDE

Bath Mixer W/T Std Offset






DA00030 Chrome

Darling range wall type bath mixer comes complete with a wall bracket, hand shower and hose. Included with the mixer are 2 x s connections and coverplates. The inlet centres on this mixer are 150mm apart and are adjustable from 130mm to 170mm.

Type: Single Lever

Round Free Standing Bath Mixer with Hand Shower





DA00035


This free standing bath mixer measures 1008mm from the floor to the outlet and the spout has a reach of 200mm. The inlets are 1/2" female connections.

Darling Range 3 L U T I D =





Guest Basin Mixer






MT00011 Chrome

Mixed range guest basin mixer has a 92mm reach. Supplied standard with a 4 litre per minute aerator which is the national building regulations requirement for basin mixers. Included with the mixer are $2 \times 1/2$ " braided inlet tubes that are 350mm in length. Type: Single Lever

Std Basin Mixer






MT00010 Chrome

Mixed range standard basin mixer has a comfortable reach of 115mm. Supplied standard with a 4 litre per minute aerator which is the national building regulations requirement for basin mixers. Included with the mixer are $2 \times 1/2$ " braided inlet tubes that are 350mm in length. Type: Single Lever

Raised Swivel Sink Mixer






Total Tube Length: 500mm Exposed Tube Length: 350mm

MT00023 Chrome

This raised sink mixer has a swivel spout and a comfortable reach of 215mm. Supplied standard with a 4 litre per minute aerator which is the national building regulations requirement for basin mixers. Included with the mixer are $2 \times 1/2$ " braided inlet tubes that are 350mm in length. Type: Single Lever

Single Hole Sink Mixer






MT00020 Chrome

This Mixed Loop range single hole sink mixer has a swivel spout and the reach is 212mm. Included with the mixer are $2 \times 1/2$ " braided inlet tubes that are 350mm in length. Type: Single Lever

Sink Mixer W/T






MT00022 (Std Offset)
MT00021 (100mm - 200mm Offset)
Chrome

Mixed range wall type sink mixer has a swivel spout and the reach is 220mm. Included with the mixer are S-connections and coverplates. The inlet centres on this mixer are 150mm apart and due to the longer S-connections they are adjustable from 130mm to 170mm.

Type: Single Lever

Bath Mixer W/T





MT00030 (Std Offset) MT00029 (100mm - 200mm Offset)


Mixed range wall type bath mixer comes complete with a wall bracket, hand shower and hose. Included with the mixer are 2 x S-connections and coverplates. The inlet centres on this mixer are 150mm apart and are adjustable from 130mm to 170mm.

3LUTIDE

Concealed Mixer







Blutide concealed mixer bodies are designed for ease of installation. Includes two 1/2" BSP x 15mm compression inlets and one 1/2" BSP x 15mm compression outlet. The body is supplied with nuts and 15mm compression rings making the installation quicker and more cost effective for the plumber. In addition the body is supplied with a protective plastic sleeve. This sleeve protects the plated portion of the body during plastering and tiling.

Type: Single Lever

Concealed Diverter Mixer



Outlet ½* Female to Shower

Outlet ½* Female

Outlet ½* Female

Female

Outlet ½* Female

to Bath

MT00040 Chrome

Blutide concealed diverter mixer bodies are designed for ease of installation. Includes two $\frac{1}{2}$ " BSP inlets and two $\frac{1}{2}$ " BSP outlets. In addition the body is supplied with a protective plastic sleeve. This sleeve protects the plated portion of the body during plastering and tiling.

Mixed Loop Range 3 L U T I D =






Mixed Solid

This range is great value for money and is still one of the developers' favourites – not only does it carry a 5 year guarantee, this range is affordable, attractive and it's one of our most functional designs.

Guest Basin Mixer





4


MT8B011 Black

MT80011 Chrome

Mixed range guest basin mixer has a 92mm reach. Suitable for smaller basins. Supplied standard with a 4 litre per minute aerator which is the national building regulations requirement for basin mixers. Included with the mixer are $2 \times 1/2$ " braided inlet tubes that are 350mm in length.

Type: Single Lever

Std Basin Mixer






MT80010 Chrome

Mixed range standard basin mixer has a comfortable reach of 115mm. Supplied standard with a 4 litre per minute aerator which is the national building regulations requirement for basin mixers. Included with the mixer are $2 \times 1/2$ " braided inlet tubes that are 350mm in length. Type: Single Lever

3LUTIDE

Raised Swivel Sink Mixer






MT80023 Chrome

This raised sink mixer has a swivel spout and a comfortable reach of 215mm. Supplied standard with a 4 litre per minute aerator which is the national building regulations requirement for basin mixers. Included with the mixer are $2 \times 1/2$ " braided inlet tubes that are 350mm in length. Type: Single Lever

Sink Mixer W/T





MT80022 (Std Offset) MT80021 (100mm - 200mm Offset) Chrome


The Mixed Solid range wall type sink mixer has a swivel spout and the reach is 220mm. Included with the mixer are $2\,x$ S-connections and coverplates. The inlet centres are 150mm apart and adjustable from 130mm to 170mm.

Type: Single Lever



MT8B022 Black

Single Hole Sink Mixer





 \sim 1

MT8B020 Black

MT8B030 Black Chrome
The Mixed Solid range single hole sink mixer has a swivel spout and the reach is


length, and it is supplied standard with a 4 litre per minute aerator.

212mm. Included with the mixer are 2 x 1/2" braided inlet tubes that are 350mm in

Type: Single Lever

MT80020

Bath Mixer W/T





MT80030 (Std Offset) MT80029 (100mm - 200mm Offset)

Chrom


Mixed range wall type bath mixer comes complete with a wall bracket, hand shower and hose. Included with the mixer are 2 x S-connections and coverplates. The inlet centres on this mixer are 150mm apart and are adjustable from 130mm to 170mm.

Type: Single Lever

3 L U T I D E

Concealed Mixer





MT80000 MT80001 (MxM) Chrome

Blutide concealed mixer bodies are designed for ease of installation. Includes two 1/2" BSP x 15mm compression inlets and one 1/2" BSP x 15mm compression outlet. The body is supplied with nuts and 15mm compression rings making the installation quicker and more cost effective for the plumber. In addition the body is supplied with a protective plastic sleeve. This sleeve protects the plated portion of the body during plastering and tiling.


Type: Single Lever



MT8B000 Black

Concealed Diverter Mixer






MT80040 Chrome

Blutide concealed diverter mixer bodies are designed for ease of installation. Includes two $\frac{1}{2}$ " BSP inlets and two $\frac{1}{2}$ " BSP outlets. In addition the body is supplied with a protective plastic sleeve. This sleeve protects the plated portion of the body during plastering and tiling.


Type: Single Lever

Mixed Solid Range 3 L U T I D =





Guest Basin Mixer






MD00011 Chrome

This guest basin mixer has a height of 153mm and a reach of 92mm. Tested by the SABS and displaying the prestigious Australian Watermark accreditation for plumbing fittings this range of affordable mixers is Jaswic approved.

Type: Single Lever

Std Basin Mixer





MD00010 Chrome


This basin mixer has a height of 170mm and a reach of 115mm. Tested by the SABS and displaying the prestigious Australian Watermark accreditation for plumbing fittings this range of affordable mixers is Jaswic approved.

Type: Single Lever

3LUTIDE

Sink Mixer W/T






MD00022 (Std Offset) MD00021 (100mm - 200mm Offset) Chrome

This wall type sink mixer has a height of 137mm and a reach of 220mm. Tested by the SABS and displaying the prestigious Australian Watermark accreditation for plumbing fittings this range of affordable mixers is Jaswic approved.

Type: Single Lever

Single Hole Sink Mixer






MD00018 Chrome

The single hole sink mixer has a height of 305mm and a reach of 168mm. Tested by the SABS and displaying the prestigious Australian Watermark accreditation for plumbing fittings this range of affordable mixers is Jaswic approved.

Type: Single Lever


Concealed Mixer



Blutide concealed mixer bodies are designed for ease of installation. Includes two 1/2" BSP x 15mm compression inlets and one 1/2" BSP x 15mm compression outlet. The body is supplied with nuts and 15mm compression rings making the installation quicker and more cost effective for the plumber. In addition the body is supplied with a protective plastic sleeve. This sleeve protects the plated portion of the body during plastering and tiling.

Type: Single Lever

Concealed Diverter Mixer



MD00040 Chrome


Blutide concealed diverter mixer bodies are designed for ease of installation. Includes two ½" BSP inlets and two ½" BSP outlets. In addition the body is supplied with a protective plastic sleeve. This sleeve protects the chrome portion of the body during plastering and tiling. All Blutide concealed diverter mixer bodies are standard between the ranges, which means if the consumer wishes to change from one range to another during the lifespan of the product, they can do so without breaking tiles and re-plumbing.

Type: Single Lever

3LUTIDE

Bath Mixer W/T






MD00030 Chrome

The wall type bath mixer has a height of 136mm and a reach of 147mm. Tested by the SABS and displaying the prestigious Australian Watermark accreditation for plumbing fittings this range of affordable mixers is Jaswic approved.

Type: Single Lever







15mm Pillar Tap





NT00050 Chrome

15mm pillar tap comes with a plastic backnut. These are used on 2 tap hole basins and in some instances where just cold water is being installed you can install just 1 pillar tap.

Type: Conventional

15mm Bib Tap





NT00060 Chrome

15mm bib tap is a wall mounted tap that will usually be bought with a 15mm extension piece. The reach of the bib tap is 98mm.

Type: Conventional

3 L U T I D E Neap Range


Hose Bib Tap



NT00016 Chrome

15mm hose bib tap has a reach of 83mm and a 3/4" outlet.


Type: Conventional



Only Use SABS Class 2or3 copper tube or Flexible Hose

15mm Extended Bib Tap







Only Use SABS Class 20r3 copper tube or Flexible Hose

NT00065 Chrome

15mm extended bib tap is a wall mounted tap that has a reach of 128mm. It is supplied complete with a coverplate. There is no need to add an extension piece to this tap as it is designed to reach over the bath, basin or sink.

Basin Mixer Swivel Spout








NT00013 Chrome

The basin mixer with a swivel spout is used on 1 tap hole basins. It is supplied with $2\times1/2$ " braided inlet tubes that are 350mm in length. The reach of the spout is 135mm. Type: Conventional

Sink Mixer W/T Std Offset





NT00022 Chrome


The Neap range wall type sink mixer has a swivel spout and the reach is 184mm. Included with the mixer are 2 x S-connections and coverplates. The inlet centres are 150mm apart and are adjustable from 130mm to 170mm.

Type: Conventional

3 L U T I D E Neap Range

Single Hole Sink Mixer






NT00019 Chrome

The Neap range single hole sink mixer has a swivel spout and the reach is 185mm. Included with the mixer are $2 \times 1/2$ " braided inlet tubes that are 350mm in length. This mixer can be used on a double bowl or single bowl sink. Type: Conventional

Prep Bowl Tap






NT00032 Chrome

This prep bowl tap has a comfortable reach of 185mm and the height is 216mm.

Bath Mixer W/T Std Offset






NT00030 Chrome

Neap range wall type bath mixer comes complete with a wall bracket, hand shower and hose. Included with the mixer are 2 x S-connections and coverplates. The Inlet centres on this mixer are 150mm apart and are adjustable from 130mm to 170mm.

Type: Conventional

15mm U/T Stop Tap CxC

15mm undertile stoptap CxC is supplied with 2 x compression fittings. Manufactured out of DZR brass, the undertile complies with the national bylaws. Our spindle/headpart is supplied by one of the biggest headpart manufacturers in the world so you are assured of longevity of the product. All our undertiles go through intense quality control procedures before they are supplied to the market.





NT0A000 Brushed Brass



NT0B000 Black




NT0M000 Gunmetal




NTOSOOO Brushed Stainless Steel



NT00000 (CxC) NT00001 (MxM) Chrome



15mm Pillar Tap






CT00050 Chrome

15mm pillar tap comes with a plastic backnut. These are used on 2 tap hole basins and in some instances where just cold water is being installed you can install just 1 pillar tap.

Type: Conventional

15mm Bib Tap



Only Use SABS Class 2or3 copper tube or Flexible Hose



CT00060 Chrome

15mm bib tap is a wall mounted tap that will usually be bought with a 15mm extension piece. The reach of the bib tap is 98mm.

Type: Conventional

3 L U T I D E Crimson Range


Hose Bib Tap



CT00016 Chrome

15mm hose bib tap has a reach of 83mm and a 3/4" outlet.


Type: Conventional



Only Use SABS Class 2or3 copper tube or Flexible Hose

15mm Extended Bib Tap






Only Use SABS Class 2or3 copper tube or Flexible Hose

CT00065 Chrome

15mm extended bib tap is a wall mounted tap that has a reach of 128mm. It is supplied complete with a coverplate. There is no need to add an extension piece to this tap as it is designed to reach over the bath, basin or sink.

Basin Mixer Swivel Spout






CT00013 Chrome

The basin mixer with a swivel spout is used on 1 tap hole basins. It is supplied with $2\times1/2$ " braided inlet tubes that are 350mm in length. The reach of the spout is 135mm. Type: Conventional

Sink Mixer W/T Std Offset





CT00022 Chrome


The Crimson range wall type sink mixer has a swivel spout and the reach is 184mm. Included with the mixer are 2 x S-connections and coverplates. The inlet centres are 150mm apart and are adjustable from 130mm to 170mm.

Type: Conventional

3 L U T I D E Crimson Range

Single Hole Sink Mixer





CT00019 Chrome


The Crimson range single hole sink mixer has a swivel spout and the reach is 185mm. Included with the mixer are $2\times1/2$ " braided inlet tubes that are 350mm in length. It can be used on a double bowl or single bowl sink. Type: Conventional

Prep Bowl Tap






The Crimson range prep bowl tap has a comfortable reach of 185mm and the height is 216mm.



Bath Mixer W/T Std Offset






CT00030 Chrome

Crimson range wall type bath mixer comes complete with a wall bracket, hand shower and hose. Included with the mixer are 2 x S-connections and coverplates. The inlet centres on this mixer are 150mm apart and are adjustable from 130mm to 170mm.

Type: Conventional

15mm U/T Stop Tap




Only Use SABS Class 2or3 copper tube




CT00000 (CxC) CT00001 (MxM) Chrome

15mm undertile stoptap $C \times C$ is supplied with $2 \times C$ compression fittings. Manufactured out of DZR brass the undertile complies with the national bylaws. Our spindle/headpart is supplied by one of the biggest headpart manufacturers in the world so you are assured of longevity of the product. All our undertiles go through intense quality control procedures before they are supplied to the market.

Type: Conventional



15mm Pillar Tap






RT00050 Chrome

15mm pillar tap comes with a plastic backnut. These are used on 2 tap hole basins and in some instances where just cold water is being installed you can install just 1 pillar tap.

Type: Conventional

15mm Bib Tap



Only Use SABS Class 2or3 copper tube or Flexible Hose



RT00060 Chrome


15mm bib tap is a wall mounted tap that will usually be bought with a 15mm extension piece. The reach of the bib tap is 98mm.

Type: Conventional

3 L U T I D E Rip Range

Hose Bib Tap





Only Use SABS Class 20r3 copper tube or Flexible Hose


RT00016 Chrome

15mm hose bib tap has a reach of 83mm and a 3/4" outlet.

Type: Conventional

15mm Extended Bib Tap






Only Use SABS Class 2or3 copper tube or Flexible Hose

RT00065 Chrome

15mm extended bib tap is a wall mounted tap that has a reach of 128mm. It is supplied complete with a coverplate. There is no need to add an extension piece to this tap as it is designed to reach over the bath, basin or sink.

Basin Mixer Swivel Spout






RT00013 Chrome

The basin mixer with a swivel spout is used on 1 tap hole basins. It is supplied with $2\times1/2$ " braided inlet tubes that are 350mm in length. The reach of the spout is 135mm. Type: Conventional

Sink Mixer W/T Std Offset





RT00022 Chrome


The Rip range wall type sink mixer has a swivel spout and the reach is 184mm. Included with the mixer are 2 x S-connections and coverplates. The inlet centres are 150mm apart and are adjustable from 130mm to 170mm.

Type: Conventional

3 L U T I D E Rip Range

Single Hole Sink Mixer






RT00019 Chrome

The Rip range single hole sink mixer has a swivel spout and the reach is 185mm. Included with the mixer are $2 \times 1/2$ " braided inlet tubes that are 350mm in length. It can be used on a double bowl or single bowl sink. Type: Conventional

Prep Bowl Tap






RT00032 Chrome

This prep bowl tap has a comfortable reach of 185mm and the height is 216mm.

Bath Mixer W/T Std Offset






RT00030 Chrome

Rip range wall type bath mixer comes complete with a wall bracket, hand shower and hose. Included with the mixer are 2 x S-connections and coverplates. The Inlet centres on this mixer are 150mm apart and are adjustable from 130mm to 170mm.

Type: Conventional

15mm U/T Stop Tap





RT00000 (CxC) RT00001 (MxM) Chrome

15mm undertile stoptap C x C is supplied with 2 x compression fittings. Manufactured out of DZR brass the undertile complies with the national bylaws. Our spindle/headpart is supplied by one of the biggest headpart manufacturers in the world so you are assured of longevity of the product. All our undertiles go through intense quality control procedures before they are supplied to the market.

Type: Conventional



Shower Arm and Cover Plate 150mm





Shower Arm Round 300mm




3LUTIDE

Shower Arm Round 400mm






Shower Head 250mm



Shower Head 250mm



3 L U T I D E Shower Roses

Basic Brass Shower Head 50mm



Shower Arm and Rose Set



Eco Shower Head

Chrome



Round Shower Head 120mm

Chrome



SA03171 Chrome

Tide Shower Head 100mm




SA03271 Chrome


Square Shower Head 120mm



Square Shower Head 230mm



Shower Head 250x170mm



3 L U T I D E Shower Roses

Shower Head 4 Function 100mm





Hand Showers

Mixed Hand Shower



SA03030 Chrome

Hand Shower



SA03721 Chrome

Victorian Hand Shower



SA03315 Chrome

Eco Hand Shower



SA03150 Chrome

3 L U T I D E Hand Showers

Bore Hand Shower



SA03250 Chrome

Mixed Hand Shower



SA03350 Chrome

Square Hand Shower 120mm



SA03660 Chrome

Round Hand Shower



SA03760 Chrome

Hand Showers

Ella Hand Shower



Paige Hand Shower



Hand Shower 4 Function



Square Hand Shower



3 L U T I D E Hand Showers

Square Hand Shower Black



SA03351B Black

Lollipop Hand Shower Round



Tubular Hand Shower



SA09910 Chrome



Hand Showers 3 L U T I D E

Round Hand Shower



Rectangular Hand Shower





Shower Accessories

3LUTIDE

Shower Channel 500mm







CD7500B


Black

Square Shower Trap



Shower Hose







SA04150M Shower Hose Smooth 1,50m Gunmetal




SA04150S Shower Hose Smooth 1,50m Brushed Stainless Steel

SA04150 Shower Flexi Hose 1,50m SA04125 Shower Flexi Hose 1,25m Chrome

3 L U T I D E Shower Accessories

Wall Hook with Screws





SA01758 Chrome



SA01758A Brushed Brass



SA01758B Black



SA01758M Gunmetal




SA01758S Brushed Stainless Steel

Round Wall Outlet









SA15390A Brushed Brass



SA15390B Black



SA15390M Gunmetal



SA15390S Brushed Stainless Steel

Square Wall Outlet



Swivel Wall Outlet



SA05390 Chrome

Square Wall Outlet




Round Wall Outlet







Single Towel Rail




Double Towel Rail



3 L U T I D E Sage Accessories

Single Robe Hook





SA08834 Chrome



SA08834A Brushed Brass



SA08834B Black




SA08834M Gunmetal



SA08834S Brushed Stainless Steel

Double Robe Hook





SA08830 Chrome



SA08830A Brushed Brass



SA08830B Black



SA08830M Gunmetal



SA08830S Brushed Stainless Steel

Soap Basket



Paper Holder



3 L U T I D E Sage Accessories

Towel Ring




Toilet Brush Holder



Spare Paper Holder



Single Towel Rail 800mm



3 L U T I D E Sage Accessories


Double Towel Rails 800mm











3 L U T I D E

taps inspired by life

PO Box 1339, Sunninghill, Sandton, Gauteng, 2157, South Africa +27 (0)11 656 2533 | info@blutide.co.za | www.blutide.com

All products shown in BluTide's catalogues and on any of BluTide's digital platforms, are the products available in the range at the time of publication. In the interest of product development and improvement, we reserve the right to exchange or substitute items when necessary or are unable to supply. The dimensions of products shown in BluTides catalogues and on any digital platforms are for reference only. In case there is a discrepancy between the dimensions published and that of the actual product, the latter shall be taken as standard. BluTide is committed to provide complete and up-to-date information but will not assume any liability for damages arising directly or indirectly from the use of our catalogues or website. The use of trademarks, product design and artwork is subject to license or agreement with BluTide's directors and design department. The design registrations and copyrights are protected by law and the use or reproduction outside the terms of an agreement is prohibited.

Errors and omissions excepted (E&OE).