victoria (+) albert®

volcanic limestone baths



A lifetime of luxury bathing

Victoria + Albert Baths was born out of a passion for luxury bathing.

The vision was simple: to set the standard for style, innovation and performance in bathing products. Today, 25 years after Victoria + Albert was founded, our award-winning baths and basins are found in some of the world's most desirable homes and hotels.

Luxury is in the detail. From the quality craftsmanship and materials that go into each of our products, to the support from experts in our customer services team. We deliver all over the world, each order rapidly dispatched from our international distribution centres. With the peace of mind of a 25-year residential guarantee* choosing Victoria + Albert is not just a purchase, but an investment for life.

Terms & conditions

Victoria + Albert Baths was born out of a passion for luxury bathing. The exact colour and finish of products may vary from those depicted in this brochure. We always recommend that consumers visit their nearest Victoria + Albert approved stockist, details of which can be obtained through our website, www.vandabaths.com Victoria + Albert pursue a policy of continual development and improvement and as such, product specifications may be changed without prior notice. All dimensions listed herein are only intended as a guide. Being cast products they are subject to a size variance of +/- 5%.

Find us online



What is QUARRYCAST™?

Our specially developed QUARRYCAST™ material is made from a unique blend of Volcanic Limestone™ and high-performance resins. Volcanic Limestone™ is Victoria + Albert's name for the very special white rock that is perfect for making baths and basins. It is formed when the elemental forces associated with liquid magma act upon surrounding soft, chalky limestone. The immense heat and pressure from

the magma transforms the neighbouring rock into a new material made up of incredibly hard strands. We blend milled Volcanic Limestone TM rock with high quality resins to bind these strands into a complex 3D matrix.

The finished result is QUARRYCAST™ - a world class stone composite that delivers unrivalled strength, durability and beauty.

What are the benefits of QUARRYCAST™?



Easy to clean: the naturally glossy surface is easy to wipe clean.



Lightweight: surprisingly lightweight, the average weight of our baths is just 72kg

Guaranteed*: 25-year consumer guarantee, 8-year



Warm: warm to the touch with high insulating properties, keeping your bath water warmer for longer



UV stable: Baths and basins can be installed outdoors without compromising the material

commercial guarantee.

strength or colour.



Scratch and stain resistant: the naturally white, glossy surface is incredibly durable, and resistant to hair dyes and bath oils.



Strong: QUARRYCAST™ is solid all the way through - more than twice as hard as acrylic with no creaking or flexing.

* Guarantee limited to white QUARRYCAST™ products only; excluding exterior paint finish, taps, waste kits & plating on feet. This does not affect your statutory rights.



A world of colour



of colours.





Personalise the exterior of our freestanding baths and basins to coordinate with the rest of the bathroom's design. Choose from a spectrum of RAL colours in either gloss or matt finishes. Each finish is multilayered using a special catalysed paint, with hand polishing between applications. The technique results in an exceptional depth and lustre to the finish, and is considerably more durable than hand painted surfaces. Visit www.vandabaths.com to view the whole range

1 Victoria + Albert Baths define "gloss" at a 90% gloss level, and "matt" at a 20% gloss level.





QUARRYCAST™ finishes

Our baths and basins are available in two finishes; Gloss and Matt. Both finishes are cast in our signature QUARRYCAST™ material, which is naturally warm to the touch, reassuringly durable, and guaranteed for 25 years. And what's more, they can be personalised with our selection of RAL colours.

Gloss (SW) Our signature finish is glossy on the inside and outside. Hand polished to produce a beautifully smooth sheen, our gloss finish has been a market leader for over 25 years. Every bath and basin across our portfolio is available in our Gloss finish.









Matt (SM) Victoria + Albert's Matt finish is different. Made in the cast, not by coatings or glaze, it is '100%' Matt. It has a velvety feel, gentle against the skin. Our Matt finish is available across a selection of our baths and basins in South Africa:


Baths:

Amalfi	Corvara™	Napoli
, ariam	Corvara	rapon
Amiata	ionian	Seros 1
Amiata 1	ios	Seros 2
Barcelona	Mozzano	Seros 3
Barcelona 1	Toulouse 1	Seros 4
Barcelona 2	Vetralla	Ledro
Barcelona 3	Vetralla 2	

Basins:

Amalfi 55	ios 54	Laceno 49
Barcelona 48	Napoli 57	Laceno 52
Barcelona 55	Seros 55	Laceno 56
Barcelona 64	Barcelona 53	Laceno 57
Corvara™ 55	Barcelona 56	

* Note that our Matt products have special care instructions and should only be cleaned with soap, water and a soft cloth. Scouring or the use of abrasive cleaning materials will affect the surface finish.



New York, USA

Photography by: Marili Forastieri Design by: Tara Benet Design

The Amalfi's softly contoured sides descend gracefully to the floor. Uncluttered by waste pipe work and an extended backrest that provides full head support; the bath is essential for those long luxurious soaks.

Weight | 70kg
Size | L: 1632mm, W: 794mm, H: 859mm

C €

Massachusetts Code cUPC listing by IAPMO

AML-N-SW-NO

AML-N-SW-NO


AML-N-SW-NO

Massachusetts Code cuPC listing by IAPMO





(sM) AMLM-N-SM-NO (Q)



157mm 6 1/8" 1076mm 42 3/8" victoria (1) al bert this side

Side View

Recommended Kit KIT12PC + KIT12/13P **Recommended Basin** Amalfi 55

Section BB



QUARRYCAST™ White.




















Top View

Amiata 1500 follows the same iconic design as the Amiata 1650, in a more compact footprint. Featuring a void space underneath for waste plumbing. Explore our spectrum of RAL colours in gloss or matt finishes.

○ AMT1-N-SW-NO 🕲


Amiata 1500 💻



Weight | 73kg

Weight | 73kg

Size | L: 1519mm, W: 726mm, H: 550mm



Due to the design of the bath, it will be necessary to cut a small hole in the floor to accommodate the p-trap

Recommended Kit KIT12PC + KIT12/13P **Recommended Basin** Amiata 60

QUARRYCAST™ White.





Inspired by the city famous for its organic design, the Barcelona Classic features opulent curves - perfect for those with a passion for luxury bathing. The Barcelona Classic doesn't feature a void space underneath the bath. Explore our spectrum of RAL colours in gloss or matt finishes.

Weight | 97kg
Size | L: 1785mm, W: 854mm, H: 552mm


C € CUPC listing by IAPMO

BAR-N-SW-NO










Barcelona Classic



Due to the design of the bath, it will be necessary to cut a small hole in the floor to accommodate the p-trap

Recommended Kit KIT12PC + KIT12/13P **Recommended Basin** Barcelona 48/55/64



QUARRYCAST™ White.









ictoria (albert

this side





Weight | 80kg

Barcelona 1500

○ BA1-N-SW-NO 🕲


■ BA1M-N-SM-NO

matt finishes.

Weight | 80kg
Size | L: 1500mm, W: 724mm, H: 532mm

C E

Wassachusetts Code cUPC listing by IAPMO



Barcelona 1500 is a modern design statement for the smaller bathroom. Its smooth, pebble-shaped design features a chamfered

rim for neck and arm comfort, and a void space underneath for waste plumbing. Explore our spectrum of RAL colours in gloss or

Side View

Section AA

Top View

Barcelona 1700 is designed for the modern bathroom. At 1700mm long it is perfectly suited to master suites or family bathrooms. Also



300mm 11 3/16"

Barcelona 1700

○ BA2-N-SW-NO 🕲

900mm 35 7/16"

■ BA2M-N-SM-NO

called Barcelona 2, Barcelona 1700 now features a chamfered rim for head and neck comfort, improved lower back support, and a void space underneath for waste plumbing.

back support, and a void space underneath for waste plumbing.

Top View

57 1/2"

319mm 12 1/2" 1062mm 41 3/4" Side View

Section AA


Barcelona 1800 is a design statement, ideally suited to a larger bathroom. Previously called Barcelona 3, Barcelona 1800 now features a chamfered rim for head and neck comfort, improved lower



O BA3-N-SW-NO 🕲

■ BA3M-N-SM-NO

Weight | 95kg Size | L: 1800mm, W: 866mm, H: 559mm C C C COMPOSITION CODE



ctoria 🕀 albert

Side View

Section AA

Top View

Recommended Kit KIT12PC + KIT12/13P Barcelona 48/55/64



QUARRYCAST™ White.










Recommended Basin



Contoured to fit the body, Cabrits offers enhanced support for bathers of all sizes. Its special 'double dip' design makes the bath one of the most comfortable available and, with a maximum volume of just 176 litres, also one of the most water efficient in the Victoria + Albert collection.

O CAB-N-SW-NO 🕲

Austin, Texas, USA

Photography by: Casey Dunn Design by: Alterstudio Architecture





Weight | 66kg
Size | L: 1743mm, W: 748mm, H: 564mm

Side View Section AA

Due to the design of the bath, it will be necessary to cut a small hole in the floor to accommodate the p-trap

Recommended Kit 2 X KIT12PC + 2 X KIT1213P **Recommended Basin** Cabrits 55

271mm 459mm 10 5/8" 18 1/8"

QUARRYCAST™ White.







Side View

RAL 7030 STONE GREY




RAL colours in gloss or matt finishes. A range of metal foot finishes are available.




The timeless classic - a deep Victorian double-ended roll-top bath featuring a range of Ball & Claw feet options. Explore our spectrum of





Recommended Kit KIT16PC **Recommended Basin** Drayton 40 / Radford 51





Cheshire









15 1/4"

Top View



The contemporary back-to-wall bath is endowed with the curvaceous lines of a freestanding bath. Taps can be mounted on the full width tap deck and a moulded upstand allows tiles to be easily installed. Features a void space underneath for waste plumbing.


O ELD-N-SW-NO


Essex, United Kingdom


Photography by: Daniela Exley for Amazing Productions Architecture: Chris Dyson Architects Design by: Edwina Boase



Weight | 109kg **Size** | L: 1749mm, W: 850mm, H: 600mm







Front View Section AA

QUARRYCAST™ White.




















Elwick ,

Due to the design of the bath, it will be necessary to cut a small hole in the floor to accommodate the p-trap

Recommended Kit KIT16PC **Recommended Basin** Drayton 40 / Radford 51

QUARRYCAST™ White.









Recommended Kit KIT12PC + KIT12/13P **Recommended Basin** Kaali / Kaldera / Laceno







Section AA


victoria (+) this side Top View


Hampshire 1/1500


O HA1-N-SW-OF O



Weight | 63kg Size | L: 1525mm, W: 761mm, H: 613mm








Section AA






Side View


Dallas, Texas,

Photography by: Costa Christ

Design by: Studio Thomas James, Inc.

USA





(SM) INNM-N-SM-NO

ionian

Section AA

Top View

Recommended Kit KIT16PC Recommended Basin



Recommended Kit KIT12PC + KIT12/13P







The sculptural form of the double-ended ionian bath creates an

elegant centrepiece in a modern bathroom. A distinctive variable

width rim further enhances the subtle oval design. A void space

underneath hides waste plumbing.







The space-saving ios is designed for city apartments and ensuites where floor space is at a premium. Complemented by the ios 54

O IOS-N-SW-NO 🕲






Brighton, Victoria, Australia


Design by: Mckimm



Massachusetts Code cUPC listing by IAPMO

Weight | 86kg **Size** | L: 1511mm, W: 802mm, H: 600mm





Watch Hill, Rhode Island, USA Photography by:

© Stephen Kent Johnson/OTTO Design by: Studio Giancarlo Valle



A large, luxurious double-ended slipper bath with a plinth. The Marlborough is based on a traditional "bateau" bath.


Weight | 80kg
Size | L: 1901mm, W: 870mm, H: 728mm


C €

C Massachusetts Code cUPC listing by IAPMO


MAR-N-SW-OF + MAR-B-SW-OF ©







Section AA



Due to the design of the bath, it will be necessary to cut a small hole in the floor to accommodate the p-trap


Recommended Kit KIT16PC **Recommended Basin**

Drayton 40 / Radford 51

QUARRYCAST™ White.







1358mm 53 1/2"


Side View





QUARRYCAST™ White.













Section AA






Recommended Kit KIT16PC **Recommended Basin**

















Side View Section AA

Top View

Due to the design of the bath, it will be necessary to cut a small hole in the floor to accommodate the p-trap


















Boldly conceived as a low slung shell, the Napoli adds drama and architectural interest to a modern bathroom. Complemented by the Napoli 57 basin

○ NAP-N-SW-NO 🕲

Weight | 71kg
Size | L: 1900mm, W: 845mm, H: 503mm



Due to the design of the bath, it will be necessary to cut a small hole in the floor to accommodate the p-trap

Recommended Kit KIT12PC + KIT12/13P **Recommended Basin** Napoli 57

QUARRYCAST™ White.





Features a void space underneath for waste plumbing.

Weight | 75kg
Size | L: 1695mm, W: 798mm, H: 653mm

C € CUPC | Massachusetts Code cUPC | Listing by IAPMO

PES-N-SW-NO


©











Recommended Kit KIT12PC + KIT12/13P **Recommended Basin** Kaali / Kaldera / Laceno









~victoria⊕albert this side



Perfectly complemented by the Radford 51 basin.

The perfect lines of this exquisitely designed slipper bath and its compact dimensions make it of particular appeal for smaller bathrooms.





Weight | 77kg

Weight | 17kg


Size | L: 1902mm, W: 910mm, H: 650mm


Weight | 53kg
Size | L: 1537mm, W: 762mm, H: 786mm


C C SHR-N-SW-OF















Section AA










Recommended Kit KIT16PC Recommended Basin Radford 51




















The opulent circular bath has been inspired by the fine porcelain designs of the Song Dynasty. The gently sloping sides are softened by a chamfered edge and sculpted detail at the base. With a diameter of 1500mm, Taizu is a spa-style centrepiece that is at home in the most luxurious bathrooms.

○ TAI-N-SW-NO 🕲

Kiri River, Okavango Delta, 🔷 Botswana

Photography by: @Kiri Camp (Machaba Safaris)




Weight | 95kg

CUPC (Isting by IAPMO)

Weight | 95kg

Size | L: 1500mm, W: 1500mm, H: 600mm




Section AA / Section BB

QUARRYCAST™ White.



















Toulouse collection

™ TOUM-N-SM-NO 🔊


A deep and double-ended bateau-style bath, inspired by the French

versions first seen in the 1860s, with luxurious head and neck support. Features a void space underneath for waste plumbing.





Section AA



Toulouse 1500

Weight | 59kg
Size | L: 1519mm, W: 744mm, H: 647mm

C

Massachusetts Code cUPC listing by IAPMO






bath features a void space underneath for waste plumbing. ○ TO1-N-SW-NO 🕲

™ TO1M-N-SM-NO

Toulouse 1500 bears all the hallmarks of the classic Toulouse bath;


an elegant rolled rim, with a seamless design that falls to the floor.


Perfect for smaller bathrooms where space is at a premium. The



41 5/8"

Side View





Section AA

Top View

Due to the design of the bath, it will be necessary to cut a small hole in the floor to accommodate the p-trap

Recommended Kit KIT12PC + KIT12/13P **Recommended Basin** Kaali / Kaldera / Laceno











1100mm 43 1/4"

Side View



A modern reinvention of the classic bateau bath. Featuring a fine rim and deep and double ended bathing well, Trivento is equally at home in city apartments or family bathrooms.

○ TRV-N-SW-NO 🕲







Weight | 70kg


Weight | 70kg

Size | L: 1650mm, W: 707mm, H: 580mm





Section AA



Top View


Due to the design of the bath, it will be necessary to cut a small hole in the floor to accommodate the p-trap


Recommended Kit KIT12PC + KIT12/13P **Recommended Basin**














Vetralla 1650

Weight | 69kg
Size | L: 1650mm, W: 727mm, H: 550mm

C €

Massachusetts Code cUPC listing by IAPMO

O VE2-N-SW-NO

O VE2-N-SW-NO

Side View






Section AA

With its simple lines and deep and double-ended design, the Vetralla collection is ideal for modern bathrooms where space is at a premium. A modern bath for a modern bathroom. Vetralla 1650 is deep and double-ended with generous volume.

™ VE2M-N-SM-NO 🔊

Top View

Section AA



Due to the design of the bath, it will be necessary to cut a small hole in the floor to accommodate the p-trap

Recommended Kit KIT12PC + KIT12/13P **Recommended Basin** Barcelona 48/55/64















Elegant, classical and refined. The Worcester takes its name from the ancient English Cathedral City and the South African town where the Victoria + Albert factory is situated. Featuring classically ribbed plinth and rim detailing originally found in stonework, it embodies a rich history suitable for many interiors. Features a void space underneath for waste plumbing.

○ WOR-N-SW-NO 🕲





Weight | 105kg
Size | L: 1797mm, W: 780mm, H: 608mm



Recommended Kit KIT12PC + KIT12/13P **Recommended Basin** Drayton 40 / Radford 51









East Cherry Photography Design by: Novella Homes





Weight | 67kg
Size | L: 1741mm, W: 795mm, H: 616mm


C E


C Wassachusetts Code
CUPC listing by IAPMO


O YOR-N-SW-OF + YOR-B-SW-OF ©

waste plumbing.

RAL 7030 STONE GREY







York 🚃

Recommended Kit KIT16PC **Recommended Basin** Drayton 40 / Radford 51

238mm 9 3/8"

1265mm 49 3/4"

Side View





Featuring a deep, double-ended bathing well, the Victorianinspired York features an elegant pedestal base hiding all the







Seros collection Wave rim Both detailed sculpted lines on the sides of the tub are different; Seros 1/1650 which plays with light and shadows. Overflow can be drilled on Weight | 86.3kg
Size | L: 1647mm H: 599mm W: 763mm

C € CUPC listing by IAPMO


SE1-N-SW-NO SE1M-N-SM-NO ■ Side View Section AA **Top View**


design and comfort. Together with its matching basin, the bathtub's natural, organic shape elicits a feeling of calm and serenity. A luxurious bathing experience in a velvety smooth material provides a sensorial delight that you can't help but touch.

O COR-N-SW-NO

© CORM-N-SM-NO €

CE CWPC Massachusetts Code cUPC listing by IAPMO Weight | 75kg Size | L: 1500mm, W: 800mm, H: 547 mm






Section AA

Top View

Seros 2/1800







Both detailed sculpted lines on the sides of the tub are different;

which plays with light and shadows. Overflow can be drilled on

- 43-1/2" -1104mm

Side View Section AA

Due to the design of the bath, it will be necessary to cut a small hole in the floor to accommodate the p-trap

Recommended Kit KIT12PC + KIT12/13P **Recommended Basin**

QUARRYCAST™ White.





Top View

Recommended Kit KIT12PC + KIT12/13P **Recommended Basin** Corvara[™] 55

QUARRYCAST™ White.









Both detailed sculpted lines on the sides of the tub are different; which plays with light and shadows. Overflow can be drilled on request.

○ SE3-N-SW-NO **©**

(sm) SE3M-N-SM-NO


Seros 3/1650 🚃



Weight | 78.8kg

Weight | 78.8kg

Size | L: 1645mm H: 535mm W: 753mm



Both detailed sculpted lines on the sides of the tub are different; which plays with light and shadows. Overflow can be drilled on request.

○ SE4-N-SW-NO 🕲


SM SE4M-N-SM-NO €

Seros 4/1800 🚃

Weight | 87.1kg

Weight | 87.1kg

Size | L: 1774mm H: 535mm W: 766mm



Top View

Due to the design of the bath, it will be necessary to cut a small hole in the floor to accommodate the p-trap

Section AA

Recommended Kit KIT12PC + KIT12/13P **Recommended Basin**

Side View

QUARRYCAST™ White.



Named after Lake Ledro in Italy, the Ledro bath is our answer to the question: how do we reduce water usage without sacrificing design or a luxurious bathing experience? Our design team have used their expert understanding of ergonomics and the material capability of QUARRYCAST™ to create a bath that doesn't compromise in comfort, but has a low water capacity.

Weight | 77.8kg
Size | L: 1670mm, W: 705mm, H: 738mm

C €

Weight | 77.8kg

Massachusetts Code cUPC listing by IAPMO

C LED-N-SW-IO

C












Ledro





Section AA

Top View

Recommended Kit KIT15PC + KIT12/13PC **Recommended Basin** Laceno / Kaldera / Kaali




QUARRYCAST™ White.












○ KAL4-N-SW-NO 🕲




Massachusetts Code cUPC listing by IAPMO


Weight | 62kg

Size | L: 1500mm, W: 750mm, H: 480-486mm





Section AA



Kaldera 4 is ergonomically designed for maximum comfort and

suitable for drop-in and undermount installations. Measuring a

Kaldera 5 is ergonomically designed for maximum comfort and

both residential and hotel bathroom applications.

suitable for drop-in and undermount installations. Kaldera 5 brings clean lines and luxurious style to the bathroom, lending itself to

compact 1500mm, it is ideal for smaller spaces.

Kaldera 5

○ KAL5-N-SW-NO 🕲







Massachusetts Code CUPC listing by IAPMO


Weight | 64kg

Size L: 1500mm, W: 800mm, H: 480-486mm





Section AA



Kaldera 6


○ KAL6-N-SW-NO 🕲







Massachusetts Code cUPC listing by IAPMO

Size | L: 1650mm, W: 900mm, H: 480-486mm







Side View

Section AA

Kaldera 6 is ergonomically designed for maximum comfort and

largest bath in the collection, measuring 1650mm.

suitable for drop-in and undermount installations. Kaldera 6 is the

Recommended Kit KIT12PC + KIT12/13P **Recommended Basin** Kaali / Kaldera / Laceno















○ VB-AML-55-NO 🕲 ֍ VB-AML55M-SM-NO 🕲



Top View



Front View


C € SM GUARRYCAST™ Standard Matt.




Weight | 9kg **Size** | L: 600mm, W: 413mm, H: 157mm Recommended Kit | KIT20PC + KIT22PC




○ VB-AMT-60-NO 🕲



Top View








Weight | 5kg **Size** | L: 480mm, W: 301mm, H: 120mm Recommended Kit | KIT20PC + KIT22PC



○ VB-BAR-48-NO 🕲 🐝 VB-BAR48M-SM-NO 🕲



Top View






Weight | 7kg

Size | L: 546mm, W: 329mm, H: 139mm Recommended Kit | KIT24PC + KIT22PC

Includes an Internal Overflow

○ VB-BAR-55-IO ■ WB-BAR55M-SM-IO ■



Top View




Weight | 8kg

Size | L: 635mm, W: 346mm, H: 169mm Recommended Kit | KIT20PC + KIT22PC



○ VB-BAR-64-NO 🕲 🐝 VB-BAR64M-SM-NO 🕲






Top View














Massachusetts Code CUPC listing by NPMO SW QUARRY CASTTM White.

Weight | 6kg **Size** | L: 570mm, W: 345mm, H: 156mm Recommended Kit | KIT20PC + KIT22PC

○ VB-NAP-57-NO 🕲 SM VB-NAP57M-SM-NO 🕲



Top View





Qc rich in Volcanic Limestone




Weight | 5kg **Size** | L: 510mm, W: 395mm, H: 115mm Recommended Kit | KIT20PC + KIT22PC



Personalise.

○ VB-RAD-51-NO 🕲




C E CIPC Integration (SW) QUARRYCASTIM White.

Weight | 9kg Size | L: 550mm, W: 341mm, H: 160mm Recommended Kit | KIT24PC + KIT22PC

○ VB-COR-55-IO ■ SM VB-COR55M-SM-IO ■



Personalise.




Top View

C C SM QUARRYCAST™ White. SM QUARRYCAST™ Standard Matt.



Weight | 5.14kg **Size** | L: 549mm, W: 300mm, H: 140mm Recommended Kit | KIT24PC + KIT22PC Includes an Internal Overflow ○ VB-SER-55-IO ■ SW VB-SER55M-SM-IO ■







Top View












Massachusetts Code CUPC listing by IAPMO (SW) QUARRYCAST™ White.

Weight | 4kg **Size** | L: 475mm, W: 453mm, H: 136mm Recommended Kit | KIT24PC + KIT22PC Includes an Internal Overflow ○ UB-KAA-48-IO 🗎




Qc rich in Volcanic Limestone"

Qc rich in Volcanic Limestone"

Top View


Massachusetts Code CUPC (isting by IAPMO (SW) QUARRYCAST™ White.


Weight | 5kg **Size** | L: 595mm, W: 447mm, H: 136mm Recommended Kit | KIT24PC + KIT22PC Includes an Internal Overflow ○ UB-KAA-60-IO ■



Top View


Massachusetts Code CUPC listing by IAPMO SW QUARRY CASTTM White.







Weight | 5kg **Size** | L: 560mm, W: 358mm, H: 139mm Recommended Kit | KIT24PC + KIT22PC Includes an Internal Overflow




Top View

Qc rich in Volcanic Limestone"

Qc rich in Volcanic Limestone

CE Massachusetts Gode CUPC listing by IAPMO SW QUARRYCASTTM White.


Weight | 5kg **Size** | L: 610mm, W: 420mm, H: 134mm Recommended Kit | KIT24PC + KIT22PC Includes an Internal Overflow ○ UB-KAL-62-IO 🗎



Top View

C € CUPC listing by IAPMO (SW) QUARRYCAST™ White.

Weight | 5.1kg **Size** | L: 492mm, W: 400mm, H: 195mm Recommended Kit | KIT24PC + KIT22PC Includes an Internal Overflow




Top View










Weight | 5kg **Size** | L: 531mm, W: 351mm, H: 171mm Recommended Kit | KIT24PC + KIT22PC Includes an Internal Overflow ○ UB-BAR-53-IO 🗐 🔊 UB-BAR53M-SM-IO 🗐 **Top View** C € Massachusetts Code CIPC (Isting by IAPMO (SW) QUARRYCAST™ White. (SM) QUARRYCAST™ Standard Matt. Weight | 6kg **Size** | L: 569mm, W: 376mm, H: 171mm


Recommended Kit | KIT24PC + KIT22PC Includes an Internal Overflow ○ UB-BAR-56-IO ■ ® UB-BAR56M-SM-IO ■





○ FS-SER-49-NO 🕲 🐝 FS-SER49M-SM-NO 🕲

Weight | 20.6kg **Size** | L: 490mm, W: 401mm, H: 900mm **Recommended Kit** | No Kit required – pre-fitted Hidden freeflow drain. Features waterblade for infinity look.



Top View Side View

C € ... Massachusetts Gols. dPC listing by JAPMo (SW)QUARRYCAST™ White. (SM)QUARRYCAST™ Standard Matt.

Kit – Series

Whether you're searching for drains, waste kits or standpipes, we have a luxurious collection of options that are specifically designed to meet the technical requirements of our basins and freestanding baths.

Freestanding baths

Kit 12C

Universal waste kit for baths

Chrome



Kit 15PC

Universal waste kit for baths with internal overflow

Chrome




Footed tubs

Kit 30C



Kit 16C



Kit 3C



Bath filler

Kit T3

Overflow mounted concealed Diameter: 10cm HP/LP Systems

- Chrome
- · Plug & Chain

Combined pop-up waste and bath filler with white flexible piping.

NB: Requires separate tap valves

Countertop basins

Kit 20C

Universal waste kit for basins

· Chrome



Undermount basins

Kit 24C

Universal basin drain with captive plug and free flow insert.

Chrome





Kit 6C

Standpipes

Chrome

Additional Accessories

Kit 22

Basin bottle trap for use with K20 · Chrome



B & F



Bend & flange · Chrome





Kit 12/13P

White flexible piping






INDEX



An award-winning range of freestanding baths that caters for bathrooms of all styles and sizes. From compact soaking tubs to roomy rolltops, there's a shape and style to suit every bather. Our unique QUARRYCAST™ composite has been a market leader for over 25 years. Explore our spectrum of RAL colours in gloss or matt finishes.



Finishes



QUARRYCAST™ Standard Matt.










Freestanding countertop basins

Complement your bath with one of our matching freestanding basins. With modern and traditional styles to choose from, a number of models have been designed to suit specific baths, while others naturally complement multiple shapes and styles. Explore our spectrum of RAL colours in gloss or matt finishes.





Undermount basins

Our range of QUARRYCAST™ recessed basins include modern and traditional styles with flexible installation options. Available in different sizes and shapes, you're sure to find a format to suit your design requirements; choose from round,





Baths with a void space.

To ease the installation of waste plumbing and create a seamless aesthetic, a number of our freestanding baths are designed with a void space. The additional space underneath the bathing well reduces the need to disturb solid flooring.



1500





1500, 1700,

1800















1800, 1500





Worcester

Ledro


NOTES		



From Volcanic Limestone™ to QUARRYCAST™

perfect for making baths and basins.

This is formed when the elemental forces associated with liquid magma act upon surrounding soft chalky limestone. The immense heat and pressure from the magma transforms the neighbouring rock into a new material made up of incredibly hard strands.



Find a sample of volcanic Limestone™ at your Lucideon*. local V + A dealership.

Victoria + Albert blends milled volcanic Limestone™ with high quality resins to bind these strands into a complex 3D matrix. The finished result is QUARRYCAST™ - a world class composite with an exceptional strength to weight ratio.



A stone rich unique alternative to both cast-iron and acrylic, which produces a 100% hand finished, one piece product packed with desirable natural properties and backed by a 25 year guarantee for your peace of mind.

QUARRYCASTTM

The original freestanding bath composite and still the best. Ask to see and feel the difference at your local dealer.



25

Strength

composite is more than twice as strong as experience every time.



Absolute safety



Rock Solid No flexing or creaking




Design Freedom Creates beautiful forms

by independent material testing experts,

Temperature

Volcanic Limestone™ is Victoria + Albert's At Victoria + Albert, our baths and basins are Unlike solid stone, QUARRYCAST™ is warm name for the very special white rock that is crafted exclusively from Quarrycast™. Being to the touch, possessing superlative heat rich in Volcanic Limestone™, this unique retention properties for a luxury bathing



More comfortable





More relaxing





More economical

Less water top-up

QUARRYCAST™ surpasses alternative QUARRYCAST™ has outperformed rival materials in laboratory tests on bath water heat solid composites in strength tests conducted retention, conducted by independent material testing experts, Lucideon*.

Mean modulus of rupture(MPa)



23.1MPa Victoria + Albert Baths QUARRYCAST™



7MPa Leading acrylic & composite bath brand (Average)

Product Description	Overall Mean Modulus of Rupture (MPA)
Victoria + Albert QUARRYCAST™	23.1
Bath Brand 1	10.0
Bath Brand 2	9.7
Bath Brand 3	9.7
Bath Brand 4	9.6
Bath Brand 5	7.9
Bath Brand 6	5.1



QUARRYCAST™



Steel Enamel



Cast Iron

Bath	Change in temperature of bath water (°C)				
Time	0	5	15	60	120
QUARRYCAST TM	0	0.2	0.8	3.5	6.0
Steel Enamel	0	0.6	1.6	5.2	7.9
Cast Iron	0	0.6	1.7	5.3	7.9

All Victoria + Albert baths and basins are also IAPMO** tested and approved. Impact tests are completed for all baths, from a 1kg ball bearing drop to a 136kg load test on the base and rim.

^{*} Lucideon is an independent, international materials technology company that focuses on innovation, sustainability and quality assurance of materials They are a UKASA accredited testing laboratory (No. 0013) in the UK and have Lucideon-approved laboratories around the world.



PERRIN & ROWE | SHAWS | VICTORIA + ALBERT



SOUTH AFRICA

Victoria & Albert Marketing (Pty) Ltd 30 Traub Street · Worcester · 6850

Tel: 023 347 4939 | Email: info@vandabaths.co.za

www.vandabaths.com

